

# POSTAL GEOGRAPHY AND GEO-REFERENCING

February 2016



## 1. Introduction

This document provides background information on postal geography, geographic referencing and summarises the issues on using postal geography for geographic referencing.

## 2. Background to Postal Geography

The Royal Mail maintains a UK-wide system of postcodes to identify postal delivery areas. Most people know their postcode, thus allowing statistics to be created based on their postcode as a main geographic reference. This reference can be related to geographic units used for statistical production such as a Local Government Districts or Electoral Wards. Postal Geography is thus very valuable.

### 2.1. Postcode Structure

Postcodes are alphanumeric references comprising of two halves – the first half is an outward code of 2-4 characters and the second half is an inward code of three characters. When mail is collected and taken to a Mail Centre, the first half of the postcode (Outward code) tells Royal Mail which delivery office to transport the mail to. There are 39 Mail Centres in the UK, but only one in Northern Ireland (Mallusk). At the delivery office, the second half of the code (Inward code), combined with the building name and/or number, provides Royal Mail with the location of the delivery point.

Example: Postcode BT34 4AT comprises two halves:



The postcode is structured hierarchically, supporting four levels of geography unit:

- **Postcode Areas:** There are 124 in the UK and Northern Ireland comprises one Postcode area represented by the code BT;
- **Postcode Districts:** Northern Ireland has 81 Postcode Districts;
- **Postcode Sectors:** Northern Ireland has 314 Postcode Sectors with around 3,000 addresses per Sector; and
- **Postcode Units:** Northern Ireland has over 60,000 postcode units comprising an average of 20 addresses per unit.

For example, the Postcode BT1 1SA is disaggregated as follows:

Geography Unit	Number in Northern Ireland	Postcode part (Example)
Postcode Area	1	BT
Postcode District	81	BT1
Postcode Sector	314	BT11
Postcode Unit	60,143	BT11SA

## 1.2 Postcode Units (or Unit Postcodes)

These 60,143 postcode units cover over 786,000 delivery points, which at November 2015 comprise approximately 784,000 small user and 2,000 large user postcodes. Unit postcodes are the base unit of postal geography and fall into two types:

- **Large User postcodes:** allocated to single addresses receiving at least 500 mail items per day (e.g. business addresses); and
- **Small User postcodes:** are collections of usually adjacent addresses. A single small user postcode may contain up to 100 addresses but 15-25 are more typical numbers.

It is possible for large buildings with many separate delivery points (e.g. a block of flats) to have more than one unit postcode within the building.

## 2. Geographic referencing

### 2.1 General

The production of statistics involves the collection, processing and output of statistical data. Most data events can be referenced to a known location and this means that most statistics can be output to or allocated to geographic classifications. For example, we might produce statistics of unemployment by electoral ward, or birth statistics for each Local Government District.

### 2.2 Postcode geo-referencing

Geographic referencing (or 'geo-referencing') is an increasingly important process in the production of statistics, allowing greater data accuracy and facilitating the sharing and aggregation of data. In recent times the approach to geographic referencing has been to use the postcode.

Through the use of GIS, NISRA's Central Postcode Directory (Version CPD November 2015) now provides the grid reference of the property closest to the average grid reference for all the properties within the postcode i.e. the address weighted centre of the postcode, which is commonly known as the Postcode centroid (more information on how individual postcode centroids are allocated to postcodes on the CPD is provided in the CPD Guidance Notes). This is a good start and may be the most accurate reference possible, as we may not have any more detailed locational information for the data event. The traditional method of referencing data to an event postcode has a number of advantages.

First, most people know their postcode so can readily supply it when asked, e.g. when responding to a survey. Secondly, postcode directories such as NISRA’s Central Postcode Directory (CPD) can be used as a ready means of matching each postcode to a range of geographic areas. An example of this is shown in Table 2.1 below. In this case the postcode has been matched through the CPD to a Local Government District, although the directory goes down to smaller geographies like the Census Small Areas (SAs) and Super Output Areas (SOAs).

**Table 2.1: Postcode referencing – example**

Event / Attribute ↓ Postcode ↓	A birth ↓ BT1 1SA ↓
Central Postcode Directory	
↓ Area ↓ Statistics	↓ Belfast LGD ↓ 'X' births in Belfast LGD

### 2.3 Limitations of using postcodes as a geographic reference


Postcodes form a compact geographic reference with which the public and businesses are familiar. Although postcode referencing is relatively straightforward, it has some limitations. A number of these are outlined below.

*(i) Postcodes do not map directly to other geographic areas*


The postcode geography does not take account of administrative boundaries – postal geography overlaps or straddles other boundaries. This straddling of boundaries means that many postcodes can only be assigned uniquely to administrative areas on a ‘best fit’ basis. If a unit postcode straddles a ward boundary the Central Postcode Directory allocates this postcode to one ward only. Examples of this are shown overleaf.

Figure 2.1 shows an example where all addresses (blue) with postcode BT42WB are on the same side of the purple boundary. The centroid of these addresses is represented by a green dot. Figure 2.2 shows all addresses with postcode BT42WE, which are located on either side of the purple boundary. The green centroid of these addresses lies just below that boundary, hence all addresses with this postcode will be allocated to that area. The result is that addresses lying close to administrative boundaries are sometimes assigned to the wrong area.

**Figure 2.1: Postcode with addresses wholly contained within one area.**



**Figure 2.2: Postcode with addresses straddling two areas.**



This issue becomes more apparent for very small areas, as a larger proportion of all postcodes have addresses that straddle boundaries. This issue can be quantified by comparing the [2011 Census statistics by postcode](#) in combination with the [Central Postcode Directory](#) (November 2015), and published statistics that are based on exact grid reference<sup>1</sup>.

<sup>1</sup> Usual resident population from the 2011 Census as published through the NINIS website:  
<http://www.ninis2.nisra.gov.uk/public/Theme.aspx?themeNumber=136&themeName=Census+2011>

Table 2.2 and 2.3 below show some key indicators of this exercise for several administrative and statistical geographies. For example, for half of the 890 Super Output Areas, the difference between the exact population and that based on aggregating the populations of postcodes attributed to that area are less than 1.7 per cent (see median figure highlighted). For one in ten SOAs (9<sup>th</sup> percentile), this difference is less than 5.5 per cent.

**Table 2.2: Accuracy of Central Postcode Directory in estimating 2011 Census usual resident population**

	<b>Number of areas</b>	<b>Average</b>	<b>Median</b>	<b>8th decile</b>	<b>9th decile</b>
LGD2014	11	0.3%	0.4%	0.6%	0.6%
AA2008	18	0.3%	0.2%	0.5%	0.7%
LGD1992	26	0.3%	0.3%	0.6%	0.7%
DEA2014	80	0.6%	0.4%	0.9%	1.1%
Ward1992	582	1.9%	1.3%	2.9%	4.2%
SOA2011	890	2.4%	1.7%	3.8%	5.5%
SA2011	4,537	5.9%	3.3%	9.9%	15.0%

**Table 2.3: Accuracy of Central Postcode Directory in estimating 2011 Census households**

	<b>Number of areas</b>	<b>Average</b>	<b>Median</b>	<b>8th decile</b>	<b>9th decile</b>
LGD2014	11	0.3%	0.3%	0.4%	0.4%
AA2008	18	0.2%	0.2%	0.3%	0.5%
LGD1992	26	0.3%	0.2%	0.4%	0.6%
DEA2014	80	0.5%	0.4%	0.8%	1.0%
Ward1992	582	1.7%	1.2%	2.7%	3.7%
SOA2011	890	2.2%	1.6%	3.6%	4.8%
SA2011	4,537	5.5%	3.1%	9.2%	13.8%

For the larger administrative geographies – Local Government Districts, District Electoral Areas and Parliamentary Constituencies/Assembly Area (AA2008) – the postcode-based lookup returns estimates that are within one per cent of the exact figure for all areas, and the majority are within 0.4 per cent. As areas become smaller, the postcode-based lookup becomes less accurate, due to a larger proportion of postcodes expected to straddle area boundaries. Accuracy for postcode-based statistics for most Wards<sup>2</sup> and Super Output Areas (SOAs) are broadly within 1.5 per cent. For the smallest statistical geography – 2011 Census Small Areas – postcode approximations for 4,084 out of 4,537 Small Areas (90 per cent) are within 15 per cent of the exact figure, whilst for half of the Small Areas, the approximation is broadly within 3 per cent.

The difference between the published 2011 Census population and households – based on exact addresses – and those approximated by using postcodes for each area of the geographies presented in Table 2.2 and 2.3 is available on the [NISRA website](#). This enables users of the Central Postcode Directory to assess whether the approximation by postcodes is acceptable for their purposes.

<sup>2</sup> 2011 Census Statistics for the 462 new Electoral Wards are not available.

Whilst, the size of this error is relatively small it should be considered when analysing small area data, especially when properties lie adjacent to administrative boundaries. Also, as demonstrated in the two tables, the reported accuracy depends on the choice of statistics, i.e. population vs. households. This is particularly important when looking at relatively rare events or spatial concentrations.

*(ii) Postcodes can move around and are subject to change*

Royal Mail assigns postcodes to address locations for the sole purpose of providing an efficient mail delivery service. Postcode boundaries are subject to continuous change due to new addresses, single addresses acquiring large user postcodes as mail volume increases, and the need to restrict the number of addresses per unit to less than 100. Areas can also be re-coded and in some instances terminated codes can be re-used in a different place after just two years. Wrongful allocations can occur and continuous monitoring is therefore required to minimise this.

Although NISRA's CPD retains discarded postcodes (terminated postcodes), this cannot be regarded by itself to provide an accurate locational reference. Royal Mail may occasionally decide to re-use these discarded postcodes in another part of the same postcode sector and thus the physical location of the postcode may shift. This could cause data to be assigned to the wrong area unless care is taken to use the relevant postcode directory.

*(iii) Accuracy issues*

The postcode geography constantly changes to reflect what is happening on the ground. Demolition, re-development and more acutely the development of new properties means that Royal Mail are constantly adjusting the postcode geography by creating new postcodes, revising the content of existing postcodes and as we have seen even terminating postcodes. Although NISRA routinely receives and publishes information about changes to the postcode geography, users need to be aware of issues around the time lag between changes on the ground and the updating of spatial information.

When a new postcode is created it takes considerable time for Royal Mail to gather all the accurate spatial data for that postcode. For example, the individual grid references of the constituent addresses, which enable calculation of the postcode centroids, will not be available to Royal Mail until the Ordnance Survey NI has surveyed those areas and updated the Pointer Address database. This process, in some cases, can take many months.

However, to get around this issue newly introduced postcodes will initially have a temporary grid reference attached to them. This imputed temporary grid reference is usually allocated on a "nearest neighbour" basis. The method used is such that the closest postcode numerically/alphabetically is used to assign a grid-reference to the new postcode. In due course this temporary grid reference will be replaced by the improved Pointer based grid references from data supplied by OSNI.

Users need to take cognisance of this time lag and understand that the grid references temporarily assigned for some postcodes, particularly new postcodes, may be spatially inaccurate. Given that the imputation process is not an exact science, the result is that, in some cases, the temporary grid referencing may assign postcodes to the wrong administrative, statutory or statistical areas.

(iv) Statutory boundaries change

Statutory and administrative boundaries in Northern Ireland periodically change – e.g. the 2014 Electoral Ward Boundary Review revised the 1992 Electoral Ward boundaries. This further complicates postcode to area referencing. Take Figures 2.3-2.5 below for example. In this case the configuration of the postcodes is such that all properties have been allocated to the correct ward, i.e. all red properties lie within Ward A and all green properties within Ward B. Once the ward boundary has changed, then the allocation of some green properties is incorrect as one of the postcodes is now straddling both wards. All green properties in the split postcode will end up referenced to either Ward A or Ward B and this means that a proportion of them are bound to be wrong.

Figures 2.3-2.5: Postcode referencing and Boundary change

Fig 2.3




Fig 2.4





Fig 2.5



## 2.4 Geo-referencing using address-level grid reference

With the recent development and release of the OSNI Pointer Address database the move to address level grid referencing may be facilitated. This is extremely powerful and accurate. Whereas the postcode centroid gives an approximate location of the data event, the address level grid reference describes precisely where it occurs. This has several advantages:

- Straddling is no longer an issue, as addresses rather than postcode are used to allocate geographical identifiers. By using the address grid reference event, addresses are allocated to the correct geographic areas.
- Dealing with boundary change is easier. New boundary datasets can be loaded into GIS platforms and, knowing the events are precisely located, we can, very quickly, produce accurate statistics for the new boundaries.
- Outputs and analysis can be more flexible and can be produced for virtually any geography (with due cognisance taken of confidentiality issues).

However, although address level grid referencing is powerful, it does have its limitations:

- The automated allocation of addresses to grid references is more difficult than it is for postcodes. This is because, unlike postcodes, addresses can be lengthy, complicated and inconsistent. For example, the first line of an address may be the building number and street name, the number of a flat within a building, or the name of a property. However, this could be overcome if data collectors used a standard address dataset and the OSNI Pointer address database is an appropriate tool to facilitate this.
- As noted for postcode based methods, there are also time lags in recording changes on the ground, which can lead to lack of completeness of an address database and thus inaccuracy.
- As data relates to individual addresses, greater security precautions may be required to protect the confidentiality of individuals.

## 3. Conclusion/Further Information

The approach of using postcodes to reference geographic data has been a valuable tool but is subject to a number of limitations, especially when trying to produce statistics for very small areas. The move towards geographic referencing based on the postcode centroid offers many advantages in terms of facilitating event linkage, data visualisation and data analysis. However, it does not eliminate the problems caused by postcodes straddling around boundaries and indeed boundary changes. If a reference can be given at address-level however the potential is even greater, allowing for detailed and accurate small-area statistics. Different types of data will of course require different types of referencing, and issues such as ensuring confidentiality are crucial.

Further information on geo-referencing and NISRA's Central Postcode Directory is available at <http://www.nisra.gov.uk/geography/postcode.htm>. Alternatively, you can get in touch with NISRA's Geography team:

Dr Jos Ijpelaar  
Demography and Methodology Branch  
NISRA  
McAuley House 2-14  
Castle Street  
Belfast BT1 1SA  
Tel: 028 90 348271  
E-mail: [jos.ijpelaar@dfpni.gov.uk](mailto:jos.ijpelaar@dfpni.gov.uk)